



T5S R3E. 2nd Mer.



T6S R3E. 2nd Mer



Meander 369.

335

T. 5 S. R. 3 E. 2^d Mer. Ind^a

Township No. 5 S. R. No. 3 E. 2^d Mer
Indiana

Beginning at L of Township N 45 S. R. No. 3 E. & run Township line between Townships West 45. on Random	
40.00	Set temporary 1/4 sec. post
80.00	Set sec. post. Land of this mile good quality Timber W. Oak B. Oak. W. G. Dogwood some Sikes
<hr/>	
West Between Sect. No. 35 & 2	
40.00	Set temporary 1/4 sec. post
80.00	Set the sec. post. Land of this mile good quality Timber W. Oak, B. Oak - Dogwood W. G.
<hr/>	
West Between Sect. No. 3 & 34	
40.00	Set temporary 1/4 sec. post
80.00	Set sec. post. Land good soil. Timber W. Oak B. Oak Hickory &c. W. G. Dogwood &c
<hr/>	
West Between Sect. No. 4 & 33	
40.00	Set temporary 1/4 sec. post
80.00	Set sec. post Land level. timber & soil, same as last
<hr/>	
West Between Sect. No. 5 & 32	
40.00	Set temporary 1/4 sec. post - Land good soil, some brushy, timber Hickory Oak Sugar tree &c. W. G. Dogwood &c
80.00	Set sec. post Land some hilly timber &c. as last 1/2 mile
<hr/>	
West Corrected between Sect. No. 31 & 6	
40.00	Set temporary 1/4 sec. post Land very hilly Timber Chesnut Beech Sugar tree &c.

S. 5. A. R. 3. E. of Mer.

98.44 To the R. line fell S. of the post ^{ch. 1/2} 5. 90. Land very hilly & rich timber Poplar Sugar-tree. N. G. Office
L Sect No. 31 & 6 on R. line L 45 South.

East Corrected between Sect. No. 6431. S. 4 45. R. S.
58.44 Set 1/2 sec. post on the true line where a Beech
14 ins. dia. bears N 67 E 9 Mrs. & another Beech
14 ins. dia. bears S 5 1/2 E 40 Mrs.
98.44 Set Sec. post L to Sect. No. 31 & 32. 5 & 6. where
a W. Oak 11 ins. dia. bears N 32 1/2 E 16 Mrs. & a
Beech 18 ins. dia. bears S 11 W 57 Mrs

East Corrected between Sect. No. 32 & 5
40.00 Set 1/2 sec. post where a Cherry 10 ins. dia. bears
N 4 E 27 Mrs. no more trees near it being a brushy glade
80.00 Set post where a W. Oak 12 ins. dia. bears N 83 E 2 Mrs.
& a Hickory 11 ins. dia. bears S 41 W 18 Mrs. L. L. 5. 32 & 33.

East Continued, corrected between Sect. No. 4 & 53.
40.00 Set 1/2 sec. post where a W. Oak 30 ins. dia. bears S 8 1/2
E 9 Mrs. & another W. Oak 14 ins. dia. bears N 67 E 14 Mrs.
80.00 Set Sec. post where a W. Oak 14 ins. dia. bears N 61 W 12 Mrs.
& a W. Oak 16 ins. dia. bears S 37 E 4 Mrs. L Sect 3. 4. 33 & 34

East Corrected continued
40.00 Set 1/2 sec. post where a W. Oak 10 ins. dia. bears S 23 W
18 Mrs. & a Cherry 10 ins. dia. bears N 25 E 37 1/2 Mrs.
80.00 Set post where a Hickory 10 ins. dia. bears N 31 E
27 Mrs. & a B. Walnut 5 ins. dia. bears S 51 W 12 Mrs.

East Corrected between Sect. No. 2 & 55
2.11 a Hickory 20 ins. dia
40.00 Set 1/2 sec. post where a Poplar 10 ins. dia. bears
S 35 W 9 Mrs. & a Poplar 10 ins. dia. bears N 3 E 24 Mrs.
43.00 a Hickory 14 ins. dia
80.00 Set post L to Sect. No. 1. 2. 35 & 36 where a W. Oak

337

N. S. S. R. S. Co. of Mr. Ind.

10 ins. dia. bears S 53 W 36 lbs. & a Dogwood 4 ins. dia. bears N 30 E 16 lbs.

East Correlated between Sect. No. 1 & 36

00.85 a Hickory 18 ins. dia

40.00 Set 7/4 Sec. post where a B. Oak 20 ins. dia. bears S 19 W 27 lbs. & a W. Oak 12 ins. dia. bears N 19 E 10 lbs.

55.18 To a Hickory 14 ins. dia

80.00 To Range line

South Continued from N.E. cor. of E. boundary N. S. S. R. S. Co.

40.00 Set 7/4 Sec. post where a Hickory 20 ins. dia. bears N 31 W 27 lbs. & a Gum 9 ins. dia bears S 5 W 4 lbs.

Land hilly with sink holes. Timber W & B. Oak & a B. Oak 20 ins. dia

80.00 Set Sec. post where a W. Oak 36 ins. dia. bears S 12 E 15 lbs. & a Dogwood 6 ins. dia. bears N 14 W 16 lbs. Land crable some sink holes. Timber W & B. Oak & Hickory

South Continued

40.00 Set 7/4 Sec. post where a Hickory 12 ins. dia. bears S 33 E 25 lbs. & a Cherry 10 ins. dia. bears N 60 W 34 lbs

60.77 a Hickory 12 ins. dia

80.00 Set Sec. post where a Hickory 11 ins. dia. bears S 87 E W 14 E lbs. & a Hickory 9 ins. dia. bears N 78 E 27 lbs. L Sect. No. 12 & 13 - Land poor brushy & briery, Timber W. Oak, B. Oak.

11.32 a W. Oak 28 ins. dia

36.00 cross Spring course East

57.97 To a Buck 18 ins. dia

39.00 To a creek called Buck creek. course S. W. 100 lbs. wide

40.00 Set 7/4 Sec. post where a Sycamore 18 ins. dia. bears S 22 E 48 lbs. & another Sycamore 12 ins. dia. bears S 13 W 62 lbs. Land hilly & broken

60.28 To a Sugar-tow 24 ins. dia

D. 5. S. R. 3. E. of Mo. Ind.

69.00	crop small run 10 hrs. West
77.95	a Beech 30 ins. dia. by a path S. W.
79.99	at Do 15 " "
80.00	Do for live tree 1 hr. N. a Sugar tree 16 ins. dia. bears S 25 E 16 hrs. Land bottom & rich timber Beech Sugar tree Walnut &c
8.00	To a W. Walnut 28 ins. dia & at the foot of the Hill. appearance of bottom on the N.
23.20	crop road course S. E.
34.11	a W. Oak 28 ins. dia
40.00	Set post where an ash 10 ins. dia. bears S 40 E 8 hrs. & a W. Oak 28 ins. dia. bears S 35 W 7 hrs. W. Oak land & ridges
56.73	a Beech 18 ins. dia
63.31	a Poplar 28 " "
80.00	Set sec. post where a B. Oak 24 ins. dia. bears S 78 E 21 hrs. & a Sugar tree 20 ins. dia. bears N 85 W 18 hrs. Land hilly timber W. Oak &c L 24 & 25
128	Beech 10 ins. dia
38.85	Do 12 " "
40.00	Set the sec. post where a Beech 20 ins. dia. bears S 15 W 17 hrs. & a Beech 11 ins. dia. bears N 15 E 20 hrs. Land arable some sink holes timber W. Oak & B. Oak ash Poplar &c open woods.
63.97	a W. Oak 16 ins. dia
73.87	a Do 16 " "
80.00	Set post where a Beech 8 ins. dia. bears S 7 E 16 hrs. & another Beech 18 ins. dia. bears N 13 W 36 hrs. Land good quality, ascending & descending. timber W. Oak Hickory Poplar Beech some pines L 25 & 36.
50.53	a Poplar 20 ins. dia
36.57	a Beech 18 ins. dia

339

T. & S. R. & E. of Mer. Ind.

110.00 Set $\frac{1}{4}$ Sec. post where a Beech 18 ins. dia. bears
 $N 35^{\circ} E$ 18 lbs. & a Poplar 20 ins. dia. bears $N 50^{\circ}$
 W. 24 lbs

91.72 a Poplar 20 ins. dia

80.00 Set Sec. post where a Blue Ash 10 ins. dia. bears
 $N 80^{\circ} E$ 15 lbs. & a Sugar tree 12 ins. dia. bears $N 29^{\circ} E$
 W 20 lbs. — Land this side rich & hilly. Timber
 Beech Poplar Walnut — W. G. Spruce &c

South On the E. Side of Sec. No. 1. R. line T. & S. R. & E.

11.40 To Ash, line tree 28 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post a Hickory 10 ins. dia. bears $S 82^{\circ} W$
 5 lbs. & a W. Walnut 6 ins. dia. bears $S 87^{\circ} E$ 12 lbs.

80.00 Set post at the cor. of Sec. No. 1 & 12 where a Beech
 30 ins. dia. bears $N 44^{\circ} E$ — lbs. & another Beech 12
 ins. dia. bears $N 76^{\circ} W$ 20 lbs. Broken land, good
 soil Beech Ash Sugar tree & Poplar timber

South On the E. Side of Sec. 12. T. & S. R. & E.

15.50 To a Hickory line tree 28 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post, a Poplar 60 ins. dia. bears $N 57^{\circ}$
 W 20 lbs. & a Beech 18 ins. dia. bears $S 74^{\circ} E$ 29 lbs.

80.00 Set post at the cor. of Sec. No. 12 & 13, a Sassafras
 10 ins. dia. bears $N 42^{\circ} W$ 12 lbs. & a Beech 24 ins.
 dia. bears $S 26^{\circ} E$ 29 lbs. Broken land, good
 soil. Timber Beech Poplar Ash.

South On the E. Side of Sec. No. 13. T. & S. R. & E.

37.55 To line Beech 24 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post, a Sugar tree 6 ins. dia. bears $N 10^{\circ}$
 W 12 lbs. & a Walnut 18 ins. dia. bears $N 17^{\circ} E$ 18 lbs.

80.00 Set post at the cor. of Sec. No. 13 & 24, a Poplar
 60 ins. dia. bears $S 55^{\circ} W$ 22 lbs. & a Beech 20 ins.
 dia. bears $S 60^{\circ} E$ 23 lbs. Broken land good soil
 Timber, Poplar, Beech, Sugar & Ash

S. 5. S. R. 3. E. of Mer. Ind.

South On the E. side of Sec. No. 24. T. 5. S. R. 2. E.
 10.00 Set $\frac{1}{4}$ Sec. post, an ash 20 ins. dia. bears N 45
 W 23 lbs. Vandyke Ash 18 " " " N 62
 E 33 lbs.
 66.10 To line Beech 24 ins. dia.
 80.00 Set post at the cor. of Sec. No. 24 & 25. a
 Hoop Ash 15 ins. dia. bears N 72 W 31 lbs. & a
 Beech 20 ins. dia. bears N 74 E 15 lbs. Broken
 land, good soil, timber Beech Ash & Sugar tree

South On the E. side of Sec. 25. T. 5. S. R. 2. E.
 10.00 Set $\frac{1}{4}$ Sec. post, a Beech 10 ins. dia. bears N 18 E
 17 lbs. a Poplar 60 ins. dia. bears S 76 W 20 lbs
 59.50 To the River course N 60 W. Set post, an
 Ash 18 ins. dia. bears N 85 W 17 lbs., & a Beech 12
 ins. dia. bears S 5 E 9 lbs. Broken land good
 soil Beech & Poplar timber

West Beginning at the S. E. cor. of Township No. 5
 S & Range No. 3. & run township line West
 between Townships No. 5 & 6.
 4.85 a Poplar 48 ins. dia
 36.31 a Beech 12 " "
 40.00 Set $\frac{1}{4}$ Sec. post where a Mulberry 18 ins. dia. bears
 N 35 E 23 lbs. & a Sugar tree 12 ins. dia. bears
 S 6 E 25 lbs. Land rich very broken with sinks
 Timber Walnut Beech &c.
 42.61 a Beech 18 ins. dia
 63.00 an Ash 10 " "
 80.08 a Poplar 12 ins. dia. is L tree Sec. No. 1 & 2

West continued
 37.77 a Beech 16 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post where a Sugar tree 14 ins. dia.
 bears S 67 E 7 lbs. & a Mulberry 5 ins. dia. bears N 10 W
 14 lbs. Land very Rich. broken with sinks timber

341

J. S. L. R. E. E. of Mer. Ind.

Large Poplar Sugar tree Buck W. by Spruce &
 41.23 a Buck 18 ins. dia
 57.19 a Do 12 " "
 62.50 crop spring run course N = 8 lbs. wide
 75.00 To Buck creek course 15 W deep with black
 water 10 lbs. wide
 80.00 L in creek not able to set a post as the water
 is very deep where an Oak 30 ins. dia. bears N
 85 E 5 lbs. & an Elm 16 ins. dia. bears N. 32 2 lbs
 L Sect No. 243

West Continued

9.80 a Buck 14 ins. dia
 10.00 Set the 1/4 sec. post where a Buck 10 ins. dia. bears N
 36 W 4 lbs. & another Buck 12 ins. dia. bears S 45 E
 19 lbs. Level Buck line
 18.49 a Buck 30 ins. dia
 60.08 a Do 25 " "
 80.00 Set sec. post where a Buck 20 ins. dia. bears N
 41 W 36 lbs. & a Buck 9 ins. dia. bears S 44 E 26 lbs.
 L Sect. No. 344, Land as last

West Continued between Sect. No. 4433

8.47 a Buck 12 ins. dia
 27.00 To Lick Run course S. 24 lbs. wide
 31.21 a Buck 20 ins. dia
 40.00 Set the 1/4 sec. post where a W. Oak 6 ins. dia. bears
 S 57 E 5 lbs., In general level timber Buck
 80.00 Set post where a Buck 30 ins. dia. bears S 45 W 30 lbs
 & a Buck 28 ins. dia. bears N 38 E 21 lbs. Land wet
 & level, timber Buck L Sect. No. 445 on S. line

West Continued

00.63 a Buck 12 ins. dia
 23.13 a Do 12 " "
 40.00 Set the sec. post where a Buck 14 ins. dia. bears

S. 5. T. R. 3. E. of Mer 5

	<p>N 38 E 33 Mrs. Vanthor Buck 8 ins. dia. bears S 43 W 10 Mrs. — Land level & rich, Limber Buck & Walnut</p> <p>43.36 To the River bank where cotton tree 30 ins. dia. is L tree — Land as the last L Sect. No. 5 in Township No. 6 South Range 3. East</p>
South	Between Sect. No. 1 & 2 in R. 3. T. 5. S.
6.82	a W. Oak 15 ins. dia.
40.00	Set $\frac{1}{4}$ sec. post where a W. Oak 10 ins. dia. bears S 63 W 11 Mrs. Va B. Oak 11 ins. dia. bears N 83 E 24 Mrs. This $\frac{1}{4}$ mile poor land — W. G. Small (W. Oak & B. Oak, under briars &c
80.00	Set post L to Sect. No. 1. 2. 11. & 12 where a Hickory 24 ins. dia. bears S 67 E 47 Mrs. & another Hickory 12 " " " N 35 W 28 Mrs. Land as the last
East	Random line between Sect. No. 1 & 12
40.00	Set temporary $\frac{1}{4}$ sec. post — Land very brushy & briery Limber W. Oak &c
79.63	To Range line full 6 Mrs. S. of the post
West	Corrected between Sect. No. 1 & 12
39.81	more $\frac{1}{4}$ sec. post, averaged distance where a W. Oak 28 ins. dia. bears N 49 E 33 Mrs. Va Dogwood 4 ins. dia. bears S 23 W 13 Mrs
79.63	To the post
South	Between Sect. No. 11 & 12
40.00	Set $\frac{1}{4}$ sec. post where a W. Oak 5 ins. dia. bears N 77 E 18 Mrs. no more trees near
80.00	Set post where a W. Oak 10 ins. dia. bears N 23 E 11 Mrs & a B. Oak 20 ins. dia. bears S 50 W 31 Mrs. Land of this mile chiefly barrens, very brushy Sec. L 11. 12. 13 & 14.

South Beginning on Township line Sec. 34, 35. 2 & 3
 & run between 2 & 3. I. 5. I.
 2.64 a Poplar 15 ins. dia
 40.00 Set 1/4 Sec. post where a Dogwood 8 ins. dia. is for
 L tree - Land rich, timber Sugar tree B. Walnut
 Spice &c
 47.39 a Poplar 15 ins. dia
 80.00 Set post L to Sect. No. 2, 3, 10 & 11 where a B. Wal-
 nut 15 ins. dia. bears N 85 E 50 lbs. & a Hickory 24
 ins. dia. bears S 79 W 8 lbs. Land not so good
 timber B. Oak. W. Oak. rough & brushy

East Random line between Sect. No. 2 & 11
 40.00 Set temporary 1/4 Sec. post (timber W. Oak B. Oak
 & brushy &c.
 48.58 To post fell 169 lbs. I. of post

South Between Sect. No. 10 & 11
 40.00 Set 1/4 Sec. post where a Dogwood 8 ins. dia
 bears S 54 W 21 lbs. & another Do 4 " "
 " N 34 E 5 lbs. - Land rich, timber Oak
 Poplar &c.
 41.87 To Poplar 16 ins. dia
 80.00 Set post where a B. Oak 30 ins. dia. bears S 76 E 18 lbs
 & a Hickory 14 ins. dia. bears N 58 W 43 lbs. Land
 good quality Timber Oak Poplar Hickory. L
 Sect. No. 10, 11, 14 & 15

South Between Sect. No. 3 & 4
 40.00 Set 1/4 Sec. post where a W. Oak 15 ins. dia. bears
 N 17 W 28 lbs. & a B. Oak 10 ins. dia. bears N 7 E 44 lbs
 Land good Timber W. Oak. B. Oak &c
 80.00 Set Sec. post, where a W. Oak 50 ins. dia. bears N 72 E
 8 lbs. & a Dogwood 8 ins. dia. bears S 46 W 27 lbs. - This
 1/2 mile rich & level Timber W & B. Walnut W.
 Oak Spice &c

S. 5. S. R. 3. E. of Mer. Ind.

East	Random line between Sect. No. 3 & 10
40.00	Set temporary $\frac{1}{4}$ sec. post - Land level Timber - Hickory, W. Oak &c.
80.06	To the N & S. line full 1 mile N. of the post Land more brushy than last $\frac{1}{4}$ mile
West	Connected between Sect. No. 3 & 10
40.03	Moved to sec. post, averaged distance where a Hickory 5 ins. dia. bears S 44 E 7 Mrs. Vanetten the N. of 1 1/2 ins. dia. bears N 44 W 4 1/2 Mrs.
80.06	To the post
South	Between Sect. No. 9 & 10
40.00	Set to sec. post where a W. Oak 15 ins. dia. bears N 9 E 13 Mrs. & a B. Oak 30 ins. dia. bears S 3 W 3 6 Mrs. Land rich, timber (W. Oak, Poplar - W. G. Spruce
55.72	a Hickory 1 1/2 ins. dia
79.55	a Poplar 18 " "
80.00	a W. Oak for L tree, where a W. Oak 10 ins. dia. bears S 58 W 2 1/2 Mrs. & another (W. Oak) 1 1/2 ins. dia. bears N 78 E 4 2 Mrs. Land rich, timber (W. Oak) Poplar W. G. Spruce &c
South	Between Sect. No. 4 & 5
19.48	a W. Oak 16 ins. dia
40.00	Set to sec. post where a Hickory 11 ins. dia. bears S 56 E 14 Mrs. & another Hickory 6 ins. dia. bears N 69 W 17 Mrs. Land rich timber Poplar &c. W. G. Red bud.
55.18	a Hickory 16 ins. dia
72.50	a B. Oak 30 " "
80.00	Set sec. post where a Poplar 30 ins. dia. bears S 40 W 2 1/2 Mrs. & another Poplar 30 ins. dia. bears N 36 E 52 Mrs. - Land as the last, L sections. 4. 5. 849

345

T. S. I. R. S. E. of Mer. Ind.

East	Random line between Sect No. 4 & 9
40.00	Set temporary 1/2 sec. post
79.57	To the N & S. line fell 1.6 lbs. of the post Land of this mile rich & level. Timber W. Oak Walnut B. Oak &c.
West	Corrected line between Sect No. 4 & 9
39.78	Moved 1/2 sec. post, averaged distance where a Gum 4 ins. dia. bears S 54 W 21 lbs. & a Dogwood 8 ins. dia. bears N 40 E 9 lbs.
79.57	To the post
South	Between Sect No. 8 & 9
15.20	a B. Walnut 24 ins. dia
40.00	a Hickory 8 ins. dia. is for L tree
79.57	a B. Oak 40 ins. dia
80.00	Set post L to Sect No. 8. 9. 16 & 17 where a Buck 10 ins. dia. bears S 78 W 26 lbs. & an Ash 10 ins. dia. bears S 46 E 36 lbs. Land rough timber W. Oak B. Oak, Dogwood
South	Between Sect No. 5 & 6
7.98	a Poplar 24 ins. dia
35.10	a B. Oak 20 " "
40.00	Set 1/2 sec. post where a Buck 10 ins. dia. bears N 42 W 4 lbs. & a W. Oak 36 ins. dia. bears S 15 E 15 lbs. Land rich & hilly, timber Poplar B & W. Oak &c.
60.29	a W. Oak 18 ins. dia
80.00	Set sec. post L Sect. 5. 6. 7 & 8 where a B. Oak 48 ins. dia. bears N 16 E 30 lbs. & a Mulberry 9 ins. dia. bears S 14 E W 38 lbs. — Land rich — Timber as the last
East	Random line between Sect No. 5 & 8
40.00	Set temporary 1/2 sec. post — Timber Oak &c.
80.33	To the N & S. line fell 3 lbs. N. of the post

J. S. L. R. 3. E. of Mer. Ind.

	4 to Sect. No. 4, 5, 8 & 9—Land rich, timber Beech Poplar & Sugar tree—W. G. Spice &c
West	Connect between Sect. No. 5 & 8
40.15 ²	Moved to Sec. post averaged distance, where a Beech 15 ins. dia. bears N 35 W 15 lbs. & Sugar tree 10 ins. dia. bears S 50 E 35 lbs.
St. 31	To the post
West	Between Sect. No. 6 & 7 To R. line
40.00	Set to Sec. post where a Sugar tree 15 ins. dia. bears N 7 W 53 lbs. & a Beech 24 ins. dia. bears N 16 E 38 lbs. This is miles rich land, timber Sugar tree, Beech Poplar, Spice brush &c. Handsomely situated for farming
45.04	a Poplar 36 ins. dia
50.75	a Beech 40 " "
97.33	To R. line fell 163 lbs. N. of L. & S. No. 10 & 12 Set post where a Beech 30 ins. dia. bears S 20 E 27 lbs & another Beech 40 ins. dia. bears N 29 E 72 lbs Land rich & rough
South	Between Sect. No. 7 & 8
6.49	a W. Ash 15 ins. dia
40.00	Set the 7 th Sec. post where a Beech 30 ins. dia. bears N 36 W 19 lbs. & a Poplar 36 ins. dia. bears S 53 E 28 lbs. Passing over rich ridges level Beech land
45.17 ¹	a Poplar 40 ins. dia
50.24	a Sugar 15 " "
80.00	Set post L to Sect. No. 7, 8, 17 & 18 where a Beech 15 ins. dia. bears N 88 E 9 lbs. & another Beech 30 ins. dia. bears N 66 W 28 lbs. Land rich & level, timber Sugar tree Beech Poplar &c. Ash & Spice W. G.
West	Between Sect. No. 7 & 18 to R. line
10.31	a Sugar tree 12 ins. dia

J. S. L. R. S. E. of Mer. Ind.

347

20.00	a Sugar tree 15 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post where a Buck 40 ins. dia. bears N 7 E 25 lbs. & a Sugar tree 15 ins. dia. bears S 31 W 28 lbs. This $\frac{1}{2}$ mile level & rich land, B. Walnut Sugar tree Ash Spice &
52.00	an Elm 30 ins. dia
100.20	To the R. line, fell & T. 16 2 lbs. Set post L to Sect. No. 7 & 18 where an Elm 30 ins. dia. bears N 16 E 22 lbs. & a Sugar tree 24 ins. dia. bears S 38 E 13 lbs. — Good Soil, rough land, Timber as the last —
East	Random line between Sect. No. 8 & 17
40.00	Set temporary $\frac{1}{4}$ Sec. post
80.14	To Sec. post L Sect. No. 8. 17. 9 & 16. fell 5 lbs. N. of post — Rich land, handsomely situated for farming, timber Ash Sugar tree Buck & W. G. Spice
East	Between Sect. No. 9 & 16 on Random
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.27	To the N & S. line, fell 5 lbs. S. of the post — Land rough. L Sect. 9. 10. 15 & 16, timber as the last
East	Random line between Sect. No. 10 & 15
40.00	Set temporary $\frac{1}{4}$ Sec. post
78.30	To the N & S. line, fell N. of the post 11 lbs. Land of this mile very hilly & stony timber Oak & C
East	Continued between Sect. No. 11 & 14
40.00	Set temporary $\frac{1}{4}$ Sec. post
78.46	To the N & S. line, fell 8 lbs. S. of the post Land good quality timber W. Oak, B. Oak, & W. G. Brush &
East	Random line between Sect. No. 12 & 13
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.20	To the R. line, fell 70 lbs. S. of the post — Land

S. S. L. R. S. Co. of. Mer. Ind.

as the last 1/2 mile

West	Connected between Sect. No. 12 & 13
39.95	moved the 1/2 sec. post, averaged distance where a Hickory 14 ins. dia. bears N 24 E 12 hrs. & a Logwood 12 ins. dia. bears S 62 W 38 hrs
79.90	To the post
South	Between Sect. No. 13 & 14
23.93	To a W. Oak 36 ins. dia
29.94	To a Do 36 " "
40.00	Set 1/2 sec. post where a Poplar 8 ins. dia. bears N 14 W 11 hrs. & a W. Oak 18 ins. dia. bears S 46 E 35 hrs. Land thin soil timber Oak
80.00	Set post where a W. Oak 14 ins. dia. bears N 29 W 15 hrs. & another W. Oak 24 " " " S 21 E 56 hrs. - L Sect. No. 13. 14. 23 & 24
East	Random between Sect. No. 13 & 24
40.00	Set temporary 1/2 sec. post
45.00	To Buck creek hill, being very high & hill steep, offset round bend of creek thus
79.00	To creek corner S. 150 hrs wide strong current
80.00	To R. line fell S. of the post 106 hrs. Land 18 1/2 mile rich. timber. poplar Oak. Last 2 very hilly & stony
West	Connected between Sect. No. 13 & 24
40.00	moved 1/2 sec. post, averaged distance where a Poplar 7 ins. dia. bears S 45 W 10 hrs. & a Thickf. 7 1/2 ins. dia. bears N 40 E 13 hrs.
80.00	To the post
South	Between Sect. No. 23 & 24
5.90	a W. Oak 12 ins. dia
40.00	Set 1/2 sec. post where a W. Oak 12 ins. dia

J. S. L. R. S. E. of Mer. Ind.

349

	<p>bears N 47 E 3 lbs. & another W. Oak 12 ins. dia. bears N 71 W 35 lbs. Land rich, Timber Poplar Oak &c. very many sink holes 50.50 Hickory 12 ins. dia 65.00 crop Run S. E. 15 lbs. wide 80.00 Set Sec. post where a W. Oak 15 ins. dia. bears S 8 E 28 lbs. & an Oak 9 ins. dia. bears N 11 E 26 lbs. Land hilly stony &c.</p>
East	<p>Random line between Sect. No. 24 & 25 3.70 To Buck creek course S. 150 lbs. wide, deep & strong current 6.70 crop Buck creek obliquely crop Spring run course S. 150 lbs. wide South chain is 14 or 15 fine Springs 40.00 Set temporary 1/4 Sec. post Land hilly timber Buck &c. 80.20 To the R. line fell 150 lbs. S. of the post</p>
West	<p>Corrected between Sect. No. 24 & 25 40.10 Moved 1/4 Sec. post, averaged distance where a Buck 9 ins. dia. bears S 26 E 26 lbs. & an Ironwood 5 ins. dia. bears N 31 W 10 lbs. 80.20 To the post</p>
West	<p>Corrected between Sect. No. 11 & 12 39.23 moved 1/4 Sec. post averaged distance where a P. Oak 18 ins. dia. bears N 87 E 45 lbs. & a Dogwood 4 ins. dia. bears S 3 W 3 lbs. in a thicket 78.46 To the post</p>
South	<p>Between Sect. No. 14 & 15 9.38 a W. Oak 28 ins. dia 23.25 a Do 18 " " 40.00 Set the 1/4 Sec. post where a Hickory 10 ins. dia. bears S 34 W 2 lbs. & another Hickory 12 ins. dia. bears</p>

J. 5. L. R. 3. E. of Mex Ind.

80.00	<p>N 10 E 12 hrs. Land brushy, timber Oak &c. Let Sec. post where a B. Oak 10 ins. dia. bears N 49 E 27 hrs. & a W. Oak 10 ins. dia. bears S 59 W 7 hrs. Land brushy Timber small Oak &c. L Sections No. 14, 15, 22 & 23</p>
40.00	<p>East Random line between Sect. No. 14 & 23 Let the temporary 1/4 Sec. post - Land thin soil, timber Hickory Oak &c. brushy 79.00 To the N & S line, fell 28 hrs. S. of the post Land as the last 1/2 mile</p>
39.50	<p>West corrected between Sect. No. 14 & 23 moved 1/4 Sec. post, averaged distance where a Poplar 7 1/2 ins. dia. bears N 52 W 13 hrs. & a Hickory 16 " " " S 24 W 24 hrs. 42.23 To a Poplar 14 ins. dia 79.00 To the post</p>
17.59	<p>South Between Sect. No. 22 & 23 a Hickory 16 ins. dia 40.00 Let 1/4 Sec. post where a W. Oak 28 ins. dia. bears N 71 E 10 hrs. & a Gum bears N 80 W 33 hrs. - Land arable, timber Oak & W. G. Dogwood &c 44.38 To B. Oak 24 ins. dia 49.26 To Do 24 " " 80.00 Let Sec. post where a W. Oak 16 ins. dia. bears S 34 W 13 hrs. & a Poplar 5 ins. dia. bears N 52 E 33 hrs. Land arable, timber W. Oak &c. L Sect No. 22, 23, 26 & 27.</p>
40.00	<p>East Random line between Sect. No. 23 & 26 Let temporary 1/4 Sec. post - Land hilly timber W. Oak &c 78.99 To the N & S line, fell 57 hrs. N. of the post Land as the last.</p>

(S. 5. L. R. 3. E. of Mer. Ind.

351

West	Corrected between Sect. No. 23 & 24
39.49	Moved $\frac{1}{4}$ Sec. post, averaged distance where a Gum 16 ins. dia. bears S 22 E 18 lbs. & a Dogwood 5 ins dia. bears N 22 W 21 lbs.
78.99	To Sec. post
West	Corrected between Sect. No. 10 & 15
39.15	Moved $\frac{1}{4}$ Sec. post averaged distance where a W. Oak 10 ins. dia. bears S 33 E 16 lbs. & another W. Oak 9 ins. dia. bears N 21 W 21 lbs.
78.30	To post
South	Between Sect. No. 15 & 16
40.00	Set $\frac{1}{4}$ Sec. post where a Beech 12 ins. dia. bears N 15 E 8 lbs. & a Dogwood 6 ins. dia. bears S 38 W 33 lbs. Land very hilly. Timber W & B. Oak &c.
80.00	Set post where a Beech 15 ins. dia. bears S 25 W 16 lbs. & a W. Oak 12 ins. dia. bears N 35 E 22 lbs. Land as the last $\frac{1}{4}$ mile
East	Random line between Sect. No. 15 & 22
40.00	Set temporary $\frac{1}{4}$ Sec. post Land arable, timber Oak Poplar &c
79.20	To the N & S. line fell 49 lbs. N. of the post Land as the last $\frac{1}{4}$ mile
West	Corrected between Sect. No. 15 & 22
39.80	Moved $\frac{1}{4}$ Sec. post averaged distance where a W. Oak 18 ins. dia. bears N 29 E 15 lbs. & a Dogwood 4 ins. dia. bears S 3 E 8 lbs.
79.20	To the post
South	Between Sect. No. 21 & 22
6.10	a Beech 15 ins. dia
36.37	a W. Oak 20 " "
40.00	Set $\frac{1}{4}$ Sec. post where a Poplar 8 ins. dia. bears

J. S. I. R. S. E. of Men. Ind.

	At 22 E 14 lbs. 9 an Elm 4 ins. dia. bears S 18 W 11 lbs. This 1/2 mile good soil, Timber B. Oak, W. Oak, R. Oak &c. — W. G. Dogwood
55.10	at W. Oak 5 ins. dia
80.00	Set post L to Sect. No. 21. 22. 27 & 28 where a W. Oak 12 ins. dia. bears N 70 W 27 lbs. 9 an W. Oak 10 ins. dia. bears N 70 E 19 lbs. Land level, timber as the last 1/2 mile
East	Random between Sect. No. 22 & 27
40.00	Set temporary 1/2 sec. post
78.31	To the N & S line, fell 28 lbs. N. of the post Land arable, timber Poplar &c.
West	Corrected line between Sect. No. 22 & 27
39.93	To a Hickory 11 ins. dia
39.16	Set the 1/2 sec. post averaged distance where a W. Oak 11 ins. dia. bears S 38 W 20 lbs. & another W. Oak 9 ins. dia. bears N 75 E 22 lbs.
78.31	To the post
West	Corrected line between Sect. No. 9 & 16
39.63	Set 1/2 sec. post where averaged distance a Dogwood 5 ins. dia. bears S 88 W 19 lbs. & another Do 6 ins. dia. bears N 26 W 27 lbs.
79.27	To post L Sect. No. 9. 16. 8 & 17
South	Between Sect. No. 16 & 17.
16.10	To a Poplar 36 ins. dia
40.00	Set 1/2 sec. post, where a W. Oak 15 ins. dia. bears S 47 W 15 lbs. & a Dogwood 4 ins. dia. bears S 84 E 26 lbs. Land rough & poor Green briars knots &c
46.27	To a Gum 20 ins. dia
80.00	Set post L to Sect. No. 16. 17. 20 & 21. where a Beech 15 ins. dia. bears N 60 E 11 lbs. & another Beech 20 ins. dia. bears S 30 W 11 lbs. This 1/2 mile poor & stony Timber Oak Beech &c

353

S. S. L. R. S. E. of Mer. Ind.

East	Random line between Sect. No. 16 & 21
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.20	Go the N & S. line fell 5 hrs. S. of the post This mile hilly, stony, thin soil. Timber Oak Buck &c
West	Correct line between Sect. No. 16 & 21
38.50	Moved $\frac{1}{4}$ Sec. post averaged distance where a Hickory 36 ins. dia. is the L tree
79.20	To Post L to Sect. No. 16. 17. 20 & 21
South	Between Sect. No. 20 & 21.
6.00	Go a W. Ash 10 ins. dia
16.72	Go a Hickory 36 " "
40.00	Set the $\frac{1}{4}$ Sec. post where a Hickory 12 ins. dia. bears S 85 W 18 hrs. & a W. Walnut 8 ins. dia. bears S 77 E 14 hrs this $\frac{1}{2}$ mile flat ridges, good land
44.80	Go a Hickory 15 ins. dia
64.21	Go a Buck 15 ins. dia. good land
80.00	Set the Sec. post where a W. Walnut 8 ins. dia. bears N 79 W 23 hrs. & a Hickory 15 ins. dia. bears S 67 E 32 hrs. On rich hill side, timber W. Walnut &c. W. G. Spice &c
East	Random line between Sect. No. 21 & 28
40.00	Set temp. $\frac{1}{4}$ Sec. post - Land good soil broken with sinks &c. timber Oak Buck Poplar, W. G. dogwood
79.80	Go the N & S. line fell 59 hrs. S. of the post Land as the last
West	Corrected line between Sect. No. 21 & 28
	moved $\frac{1}{4}$ Sec. post averaged distance where a Buck 11 ins. dia. bears N 51 W 30 hrs. & a W. Oak 12 ins. dia. bears S 65 E 23 hrs.
79.80	Go the post L of Sect. No. 20. 21. 28 & 29
West	Corrected between Sect. No. 8 & 17
40.07	Moved $\frac{1}{4}$ Sec. post, averaged distance where

H. S. L. R. B. E. of Mer. Ind.

	a Sugar tree 10 ins. dia. bears N 10 E. 8 Mrs. & another
	Sugar tree 4 " " " N 26 E 11 Mrs
80.14	To the post
<hr/>	
South	Between Sect. No. 17 & 18
3.79	an Ash 10 ins. dia
40.00	Set the sec. post where a Beech 15 ins. dia. bears N 41 E 7 Mrs. & another Beech 4 ins. dia. bears S 52 W 6 4 Mrs. Rich land, well situated, Timber Beech &c
50.61	a Sugar tree 15 ins. dia
80.00	Set Sec. post where a Spruce 28 ins. dia. bears N 88 W 16 Mrs. & a Blue Ash 10 ins. dia. bears S 36 E 33 Mrs. Land as the last 1/2 mile
<hr/>	
East	Random line between Sect. No. 17 & 20
40.00	Set temporary 1/2 sec. post, Land rich steep hollows broken
80.17	To the N & S. line, fell 26 Mrs. N. of the post Timber Beech Poplar, W. G. Dogwood &c
<hr/>	
West	Line between Sect. No. 17 & 20
40.09	Moved 1/2 sec. post, averaged distance where a Beech 36 ins. dia. bears S 80 W 10 Mrs. & another Beech 10 " " " N 50 W 25 Mrs
80.19	To post L Sect. No. 17. 18. 19 & 20
<hr/>	
West	Between Sect. No. 18 & 19 to the R. line
6.13	an Elm 8 ins. dia
34.88	a Beech 36 " "
40.00	Set 1/2 sec. post where a W. Ash 30 ins. dia. bears S 10 W 25 Mrs. & a Blue Ash 12 ins. dia. bears N 11 W 25 Mrs. Land rich timber Ash Poplar Beech, Spice W. G. ascending & descending
45.68	a Poplar 48 ins. dia
72.10	a Beech 53 " "

T. S. L. R. 3. E. of Mex. Ind.

102.28 To the R. line fell 246 lbs. N. of the post where a
Beech 30 ins. dia. bears N 52 E 26 lbs. & another Beech
30 ins. dia. bears N 70 E 6 lbs. Rough rich land, timber
as last

South Between Sect. No. 19 & 20

56.8 an Ash 20 ins. dia

29.60 a Hickory 16 ins. dia

40.00 Set 1/2 sec. post where a Sugar tree 12 ins. dia. bears
N 60 W 29 lbs. & a Beech 30 ins. dia. bears S 86 E 20 lbs.

Land rich timber (Walnut Sugar-tree Poplar &c
level land

53.23 a Sugar-tree 15 ins. dia

80.00 Set post L to Sect. No. 19. 20. 29 & 30 where a
Hickory 8 ins. dia. bears S 40 E 17 lbs. & another Hickory
12 ins. dia. bears N 47 W 16 lbs. On high stony hill
timber W. Oak, B. Oak Poplar &c.

West Between Sect. No. 19 & 30

12.41 a Poplar 36 ins. dia

40.00 Set 1/2 sec. post where a Beech 36 ins. dia. bears
S 30 E 33 lbs. & another Beech 12 ins. dia. bears N
9 W 18 lbs. Land high hills & stony timber Beech
Oak &c. — W. G. Pines &c

49.26 a Beech 30 ins. dia

104.00 To the R. line fell N. of the post 440 lbs. Set
post where a Sugar tree 10 ins. dia. bears S 55 E
40 lbs. & another Sugar tree 10 ins. dia. bears N 33 E
10 lbs. This as the last. L. 19 & 30

East Random line between Sect. No. 20 & 29

40.00 Set temporary 1/2 sec. post, Good soil, rough, timber
W. Oak B. Oak Ash &c.

81.31 To the N & D. line fell 4 lbs. S. of the post
Good soil hilly &c. timber as last.

J. F. L. R. S. E. of Mer.

South Between Sect. No. 28 & 29

17.20 a Sugar-tree 15 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post where a Beech 24 ins. dia. bears
N 60 W 21 Mrs. Van Elm 4 ins. dia. bears N 62 E 31 Mrs.This $\frac{1}{2}$ mile rough green briars &c

62.28 a Hickory 45 ins. dia

80.00 Set Sec. post L Sect. No. 28. 29. 32 & 33. where a
W. Ash 15 ins. dia. bears N 60 W 17 Mrs. & a Beech 12 ins.
dia. bears N 41 E 7 Mrs. Land rich rough timber
Ash Sugar-tree Poplar Beech &c. W. G. Spruce

West Correct between Sect. No. 20 & 29

40.66 moved $\frac{1}{4}$ Sec. post averaged distance where a W.
Ash 12 ins. dia. bears S 11 W 24 Mrs. & a B. Walnut
18 ins. dia. bears N 41 E 50 Mrs

81.31 Co post L Sect. No. 19. 20. 29 & 30

South Between Sect. No. 29 & 30

22.22 a Poplar 60 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post where a Hoop Ash 8 ins. dia. bears
N 80 W 8 Mrs. & a Beech 15 ins. dia. bears S 57 E 23 Mrs.
In a rich cove passing over high ridge. Timber
Sugar Ash Poplar80.00 Set post L to sect. No. 29. 30. 31 & 32 where a
Beech 15 ins. dia. bears N 60 W 24 Mrs. & another
Beech 42 " " " S 57 E 16 " Good
soil rich land

South Between Sect. No. 27 & 28

9.77 a B. Oak 30 ins. dia

40.00 Set $\frac{1}{4}$ Sec. post where a Beech 8 ins. dia. bears S 83
E 33 Mrs. & a Poplar 10 ins. dia. bears N 86 W 26 Mrs.
Good land broken with pinches, timber Oak & Beech

51.11 a B. Oak 28 ins. dia

80.00 Set post L Sect. No. 27. 28. 33 & 34 where a
B. Oak 36 ins. dia. bears S 80 E 11 Mrs. & another B. Oak

16 ins. dia. bears N 50 W 25 Ms. Land as the last

South Between Sect. No. 26 & 27

- 9.45 an ash 16 ins. dia.
 17.17 a Hickory 18 ins. dia.
 40.00 Set $\frac{1}{4}$ Sec. post where a Poplar 24 ins. dia. bears
 S 46 E 17 Ms. Va W. Oak 6 ins. dia. bears S 65 W 12 Ms.
 59.50 a Hickory 24 ins. dia.
 80.00 Set post where a Beech 11 ins. dia. bears S 64 E 24 Ms.
 & another Beech 10 ins. dia. bears N 50 W 16 Ms. Land
 hilly & rich timber Oak Poplar & L Sect. No. 34. 35.
 26 & 27.

South Between Sect. No. 25 & 26

- 5.11 a W. Oak 11 ins. dia.
 10.50 Buck creek 100 Ms. wide, rapid current, course S.
 40.00 Set $\frac{1}{4}$ Sec. post, where a Beech 10 ins. dia. bears
 S 46 E 17 Ms. & a Hickory 5 ins. dia. bears N 42 E 9 Ms.
 47.99 a Maple 24 ins. dia.
 80.00 Set post where a W. Oak 20 ins. dia. bears S 60 W
 27 Ms. Va Mulberry 5 ins. dia. bears N 31 E 2 Ms.
 L Sect. No. 35. 36. 25 & 26. Land inequalities
 Timber Oak Hickory Ash &c.

East Random line between Sect. No. 25 & 36

- 6.70 To Buck creek 120 Ms. wide course S. very strong
 Current
 40.00 Set temporary $\frac{1}{4}$ Sec. post Land very hilly & stony
 Timber Poplar & W. G. Ironwood
 81.00 To Range line fell 133 Ms. S. of the post
 Land hilly with sinks

West Correct between Sect. No. 25 & 36

- 40.50 Moved $\frac{1}{4}$ Sec. post, averaged distance where
 an Ironwood 4 ins. dia. bears S 18 W 7 Ms. Va Dog
 wood 4 ins. dia. bears N 22 W 8 Ms.

S. 5. S. R. 3. E. of Mer. Ind.

81.00	To the post
West	Random line between Sect. No. 26 & 35
20.52	cross road South
40.00	Set temporary $\frac{1}{4}$ Sec. post. Good land. Timber Oak &c
78.90	To the N & S. line fell 50 lbs. N. of the post Land as the last $\frac{1}{2}$ mile
West	Random line between Sect. No. 27 & 34
40.00	Set temporary $\frac{1}{4}$ Sec. post
77.91	To the N & S. line fell 35 lbs. N. of the post Land hilly Timber Oak &c
West	Random line between Sect. No. 28 & 33
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.00	To the N & S. line fell 30 lbs. N. of the post Land of this mile level & rich, timber Sugar tree Poplar Beech W. Walnut &c
West	Random line between Sect. No. 29 & 32
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.64	To the N & S. line fell 25 lbs. N. of the post This mile level rich land timber Sugar tree Poplar Beech Walnut &c.
West	To Range line between Sect. No. 30 & 31
21.97	a Sycamore 10 ins. dia
40.00	Set the $\frac{1}{4}$ Sec. post where an Elm 15 ins. dia. bears S 11 W 15 lbs. & a Birch 8 ins. dia. bears N 5 W 30 lbs Land rich, timber Walnut Sugar tree some cane &c
52.50	a Blue Ash 8 ins. dia
55.00	a Poplar on river cliff
60.00	To River bottom
63.75	a Hook Ash 8 ins. dia
73.50	Bank of the Ohio Set post where a Box Elder 12 ins. dia. bears S 41 W 6 lbs. & a Hickory 30 ins. dia

359

T. S. L. N. S. E. of Mer. Ind.

bears N 24 E 27 Mts. L Sect No. 30 & 31

South Between Sect. No. 31 & 32

6.50 a Beech 20 ins. dia

27.20 a Hickory 15 .. " top of drift rich land

33.00 To Rich bottom

40.00 Set 1/4 Sec. post where a Beech tree 5 ins. dia. is for the L tree

50.70 To the River, set post where a Hoop Ash 5 ins. dia. bears N 77 E 31 Mts. & a Hickory 5 ins. dia. bears N 58 W 13 Mts. Land rich bottom. L Sect. 31 & 32

East corner between Sect. No. 29 & 32

6.90 a B. Oak 26 ins. dia

39.82 Set the 1/4 Sec. post where a Beech 15 ins. dia. bears S 43 W 26 Mts. & a Sugar tree 10 ins. dia. bears N 8 E 21 Mts.

79.64 To the post

South Between Sect. No. 32 & 33.

11.37 a Beech 15 ins. dia

40.00 Set 1/4 Sec. post where a Beech 36 ins. dia. bears N. 25 E 9 Mts. & another Beech 4 ins. dia. bears S 89 W 7 Mts. Land rich timber Sugar-tree Beech &c. broken with sinks

42.38 a Lym 48 ins. dia

67.00 To the top of drift

70.00 Foot of Do. in River bottoms

79.96 To the Township line full E. of the post on the Township line L to Sect. No. 49 5. 154 Mts. Set post L to Sect. No. 32 & 33 where a Beech 24 ins. dia. bears S 72 W 15 Mts. & another Beech 30 ins. dia. bears N 52 E 19 Mts. Rich land, timber Walnut Beech Poplar &c

East corner between Sect. No. 28 & 33

39.50 Moved 1/4 Sec. post average distance where a

J. 5. S. R. 3. E. of Mer. Ind.

Beck 4 ins. dia. bears S 7 $\frac{1}{2}$ W 18 lbs. & another
 Beck 20 " " " N 43 W 24 lbs.
 79.00 To the post L Sect. No. 28. 29. 32 & 33

South Between Sect. No. 33 & 34
 18.00 Lick run' course N. 50 lbs. wide deep & slow
 current
 40.00 Set $\frac{1}{4}$ Sec. post where a Dogwood 6 ins. dia. bears
 S 73 W 5 lbs. & a Beck 12 ins. dia. bears N 19 E 27 lbs.
 Land level, timber Beck &
 64.08 crop a drain N. W. 6 lbs. wide
 64.24 a Beck 20 ins dia
 80.02 To the Township line fell 1 link W. of the post
 L Sect. No. 3 & 4. S. 6. R. 3. E.

East Correct between Sect. No. 27 & 34
 38.95 Moved $\frac{1}{4}$ Sec. post averaged distance where an
 Ash 12 ins. dia. bears N 29 E 22 lbs. & a Hickory
 10 ins. dia. bears S 8 W 24 lbs.
 77.91 To the post

South Between Sect. No. 34 & 35
 12.90 a Poplar 140 ins. dia
 24.85 a Hickory 24 " "
 40.00 Set $\frac{1}{4}$ Sec. post where a Beck 14 ins. dia. bears
 N 66 W 25 lbs. & another Beck 14 ins. dia. bears
 S 71 E 32 lbs. Land hilly & rich
 45.50 An Ash 11 ins. dia.
 57.72 a Poplar 26 " "
 79.33 To the Township line fell in the creek where
 an Elm 15 ins. dia. is L true fell 231 lbs. W. of L to
 Sect. No. 2 & 3 in T. No. 6. Land as the last $\frac{1}{2}$ mile
 L Sect. No. 34 & 35

East Correct between Sect. No. 35 & 26
 39.45 Moved the $\frac{1}{4}$ Sec. post averaged distance where

T. 5. S. — R. 3. E. of Mer. Ind.

a Poplar 18 ins. dia. bears S 55 E 39 1/2 lbs. & a W. Oak 4 ins. dia. bears N 45 W 9 lbs.

South	Between Sec. No. 35 & 36
8.31	To Buck creek 150 lbs. wide being back water from the river course S 5 W
18.00	a W. Oak 12 ins. dia
40.00	At the 1/4 Sec. post where a Sugar-tree 7 ins. dia. bears S 44 E 4 lbs. & a Buck tree 12 ins. dia. bears S 79 W 38 lbs. Land hilly, timber Oak &c
44.00	a W. Oak 36 ins. dia
79.33	To the Township line, fell 332 lbs. W. of the post on Township line where a Buck 30 ins. dia bears North 45 lbs. & a Sugar tree 9 ins. dia. bears S 9 E 30 lbs. L Sec. No. 35 & 36. Township No. 5 South Land hilly, good soil, timber Oak Buck &c Surveyed in 1806 by Harvey Heath, Dep. Sur.

Jan. 6th 1805

Meanders of River at L Sec. 25 — R. 2. T. 5. L
Sec. 30 in R. 3. T. 5

S 63 E	10.00
S 64 E	20. — Rich bottom, timber Buck Walnut Poplar
S 66 1/2 E	3.83 To L Sec. 30 & 31
	Meander up to the Ohio from L Sec. 30 & 31 in R. 3. E. T. 5 S.
S 77 E	3.11
S 73 E	5.50
S 61 E	6.50. Rich land, timber Buck Sugar (Walnut &c
S 66 E	17.00
S 60 E	7. —
S 53 E	22.00
S 41 E	6.50
S 49 E	12.50 Rich land, timber (Walnut Buck &c
S 33 1/2 E	6.00
S 47 E	4.00 To L Sec. No. 31 & 32 T. 5. S.
	Meander continued up River

T. S. L. R. 3. E. of Mer

S 54 E	10.00	Rich Bottom timber - Peach Walnut &c
S 42 E	16.00	
S 49 E	11.00	
S 53 E	7.00	
S 50 E	4.50	2 Town line L Sect. 5 & 32 in T. 5 & 6

I certify that the foregoing Transcript of
the Field notes of Townships No. 5 South
Range No. 3 East of the 2^d Mer. has been
compared with the original in this office
and found to be correct

Surveyor General's Office,
Cincinnati, Feb. 11. 1841

E. S. L. R. 3. E. of Mer
Sur Genl